



NWGQ.E115352
Information Technology Equipment Including Electrical Business Equipment

[Page Bottom](#)

Information Technology Equipment Including Electrical Business Equipment

[See General Information for Information Technology Equipment Including Electrical Business Equipment](#)**SIEMENS AG**

E115352

OESTLICHE RHEINBRUECKENSTRASSE 50
 76187 KARLSRUHE, GERMANY

Accessories-Lan adaptors, Model(s) 6ES7 972-0CA32-0XA0, 6ES7 972-0CAXX-XXXX, 6ES7972-0CA22-0XA0, CP5512

Accessory - Extender modules, Model(s) Scalance EM495-8; 6GK5495-8BAxx-8xx2, Scalance EM496-4; 6GK5496-4MAxx-8xx2

Accessory - Media modules, Model(s) Scalance MM491-2; 6GK5491-2ABxx-8xx2, Scalance MM491-2LD; 6GK5491-2ACxx-8xx2, Scalance MM491-2LH+; 6GK5491-2AExx-8xx2, Scalance MM492-2; 6GK5492-2ALxx-8xx2, Scalance MM492-2ELH ; 6GK5492-2AQxx-8xx2, Scalance MM492-2LD; 6GK5492-2AMxx-8xx2, Scalance MM492-2LH+; 6GK5492-2APxx-8xx2, Scalance MM492-2LH; 6GK5492-2ANxx-8xx2

Accessory Module, Model(s) Scalance MM991-2 (6GK5991-2AB00-8AA0), Scalance MM991-2 (SC) (6GK5991-2AD00-8AA0), Scalance MM991-2LD (6GK5991-2AC00-8AA0), Scalance MM991-2LD (SC) (6GK5991-2AF00-8AA0), Scalance MM991-2LH+ (SC) (6GK5991-2AE00-8AA0), Scalance MM992-2 (6GK5992-2AL00-8AA0), Scalance MM992-2CU (6GK5992-2SA00-8AA0), Scalance MM992-2CUC (6GK5992-2GA00-8AA0), Scalance MM992-2ELH (6GK5992-2AQ00-8AA0), Scalance MM992-2FSP (6GK5992-2AS00-8AA0), Scalance MM992-2LD (6GK5992-2AM00-8AA0), Scalance MM992-2LH (6GK5992-2AN00-8AA0), Scalance MM992-2LH+ (6GK5992-2AP00-8AA0)

Accessory-LAN connectors, Model(s) FC RF45 Modular Outlet with Insert 1GE, Cat. No. 6GK1 901-1BE00-0AA2, FC RJ45 Modular Outlet Insert 1GE, Cat. No. 6GK1 901-1BK00-0AA2, FC RJ45 Modular Outlet Insert 2FE, Cat. No. 6GK1 901-1BK00-0AA1, FC RJ45 Modular Outlet Power Insert, Cat. No. 6GK1 901-1BK00-0AA3, FC RJ45 Modular Outlet with Insert 2FE, Cat. No. 6GK1 901-1BE00-0AA1, FC RJ45 Modular Outlet with Power Insert, Cat. No. 6GK1 901-1BE00-0AA3, FC RJ45 Modular Outlet without Inserts, Cat. No. 6GK1 901-1BE00-0AA0, Simatic NET IE FC Outlet RJ45

Accessory-Slot ethernet interfaces, Model(s) C6GK1, CP 1613

Box PC`s, Model(s) SIMATIC Box PC 400, SIMATIC IPC 427 C, SIMATIC IPC 427C-RTX, SIMATIC Microbox 420-RTX, SIMATIC Microbox 427B-RTX, SIMATIC Microbox PC HG-C

Cable interfaces, Model(s) PC/MPI cable

Computers, Model(s) PC RI45, Rack PC IL40S, Rack PC IL40S V2, Rack PC IL43, SIMATIC Rack PC 547B, Rack PC 547C

Ethernet hubs, Model(s) ELS TP40, ELS TP40M, ELS TP80, ESM ITP80, ESM TP40, ESM TP80, OMC TP11, OMC TP11-LD, OSM BC08, OSM ITP53, OSM ITP62, OSM ITP62-LD, OSM TP22, OSM TP52, OSM TP62, OSM/ESM/ELS

Ethernet Switch, Model(s) SCALANCE X108PoE, (Cat.-No. 6GK5108-0PA00-XXX)

Industrial ethernet switches, Model(s) 161-3AA00, Scalance S612, S613, SCALANCE X106-1, (Cat.-No. 6GK5106-1BB00-2AA3), SCALANCE X108, (Cat.-No. 6GK5108-0BA00-2AA3), Scalance X108PoE, Scalance X200-4 P IRT, (Cat.-No. 6GK5200-4AH00-2BA3), Scalance X201-3 P IRT, (Cat.-No. 6GK5201-3BH00-2BA3), SCALANCE X202-2 IRT, (Cat.-No. 6GK5202-2BB00-2BA3), Scalance X202-2 P IRT, (Cat.-No. 6GK5202-1BH00-2BA3), SCALANCE X204 IRT, (Cat.-No. 6GK5204-0BA00-2BA3), SCALANCE X204-2, (Cat.-No. 6GK5204-2BB00-2AA3 or 6GK5204-2BB10-2AA3), SCALANCE X204-2LD, (Cat.-No. 6GK5204-2BC00-2AA3 or 6GK5204-2BC10-2AA3), SCALANCE X206-1, (Cat.-No. 6GK5206-1BB00-2AA3 or 6GK5206-1BB10-2AA3), SCALANCE X206-1LD, (Cat.-No. 6GK5206-1BC00-2AA3 or 6GK5206-1BC10-2AA3), SCALANCE X208 PRO-M12 (Cat.-No. 6GK5208-0HA00-2AA6), SCALANCE X208, (Cat.-No. 6GK5208-0BA00-2AA3 or 6GK5208-0BA10-2AA3)

Industrial ethernet switches, Model(s) SCALANCE X224, (Cat.-No 6GK5224-0BA00-2AA3), SCALANCE X216 (6GK5216-0BA00-2AA3), SCALANCE X212-2, (Cat.-No 6GK5212-2BB00-2AA3), SCALANCE 212-2LD, (Cat.-No 6GK5212-2BC00-2AA3), SCALANCE X306-1LD FE (Cat No.: 6GK5306-1BF00-2AA3)

Industrial ethernet switches, Model(s) SCALANCE X310, (Cat.-No. 6GK5310-0FA00-2AA3), SCALANCE X308-2, (Cat.-No. 6GK5308-2FL00-2AA3), SCALANCE X308-2LD, (Cat.-No. 6GK53082FM00-2AA3), SCALANCE X308-2LH, (Cat.-No.6GK53082FN00-2AA3), SCALANCE X308-2LH+, (Cat.-No. 6GK53082FP00-2AA3), SCALANCE X307-3, (Cat.-No. 6GK5307-3BL00-2AA3), SCALANCE X307-3LD, (Cat.-No. 6GK5307-3BM00-2AA3)., SCALANCE X310FE, (Cat.-No. 6GK5310-0BA00-2AA3), SCALANCE X320-1FE, (Cat.-No. 6GK5320-1BD00-2AA3), SCALANCE X320-3LD, (Cat.-No. 6GK5320-3BF00-2AA3), Scalance X408-2, 6GK5408-2FDaa-2aa2, Scalance X414-3E; 6GK5414-3FCxx-2xx2, Scalance XF204, (Cat.No. 6GK5204-0BA00-2AF2), Scalance XF204-2, (Cat.-No. 6GK5204-2BC00-2AF2), SCALANCE XF204IRT, (Cat No.: 6GK5204-1BA00-2BF2), Scalance XF206-1, (Cat.-No. 6GK5206-1BC00-2AF2), Scalance XF208, (Cat.-No. 6GK5208-0BA00-2AF2)

Industrial ethernet switches, Model(s) ScalanceX 202-2PI RT PRO (Cat-No.6 GK5202-2JR00-28Au6n), ScalanceX 204 IRT PRO (Cat-No6. GK52044JA00-2Bai)., SCALNACE X104-2, (Cat.-No. 6GK5104-2BB00-2AA3)

Industrial PC, Model(s) Box PC 500, Box PC 500 HG-A, Box PC 500 HG-B

Interface adapters, Model(s) S5

LAN Adapter (Communications processor), Model(s) CP5711 (6GK1571-1AA00)

Laptop computers, Model(s) SIMATIC Field PG M, Cat.- No: 6ES7 712-XXXXX-0XXX, SIMATIC Field PG M2, Cat.- No: 6ES7 713-XXXXX-0XXX, SIMATIC Field PG M3

Modular ethernet linking and switching system, Model(s) Scalance X308-2M (6GK5308-2GG00-2AA2), Scalance XR324-12M (6GK5324-0GG00-1AR2), Scalance XR324-12M (6GK5324-0GG00-1HR2)

Operator panels, Model(s) OP3, TD200, TD200-Maja (6ES7 272-0AA3x-xxxx), TD200C

Optical bus terminals, Model(s) OBT

Optical link modules, Model(s) OLM12M

PC adapter USB`s, Model(s) 6ES7972-0CB20-0XA0

PCMCIA adapters, Model(s) MMC

Personal computers, Model(s) Microbox PC 420, may be followed by additional letters and/or numbers and/or blanks, PC IL40S, Rack PC 647 B, Simatic IPC 647C, Rack PC 840 V2, Rack PC 847 B, SIMATIC IPC847C, SIMATIC MICROBOX 420-T, SIMATIC Microbox 427B-T, SIMATIC Microbox PC 420 series, SIMATIC Microbox PC 427 B

Programming units, Model(s) PG702, PG705, PG706, SIMATIC Box PC 620 V2 105W AC, SIMATIC Box PC 620 V2 105W DC, SIMATIC Box PC 620 V2 85W AC

Programming units, Model(s) SIMATIC Box PC 627 B (AC- or DC-Version),, Cat.No.: 6ES7 647 - 6BXXX - XXXX, where X stands for a number or character SIMATIC IPC 627C (AC- or DC-version); SIMATIC Rechnereinheit 677C (AC- or DC-version);

Programming units, Model(s) SIMATIC BOX PC 627, Cat. No. 6ES7 647-6AXXY-XXXX, where X stands for a number or character and Y for 0, 1, 2, 3, 4 or 5 or SIMATIC BOX PC 627, Cat. No. 6ES7 650-2abcc-0YX0, where a denotes K or M, b denotes A or B and cc denotes 07 or Box 627 Eppendorf or 16 or SIMATIC Rechnereinheit PC 677 (120-230V) or SIMATIC Rechnereinheit PC 677 (24V), 6BK1 800-0AFXX-XXXX, where X stands for a number or character, SIMATIC Box PC 840, SIMATIC Box PC 840 V2, Simatic Rack PC 840

Programming/text display devices, Model(s) 6AV3 503-1DB10, 6ES7 272-00AA00-0YA0, 6ES7 272-0AA2X-0YA0, 6ES7 702-0AA00-0YA0, UD 700

Prommers, Model(s) Simatic USB Prommer

Slot PLCs, Model(s) CPU 412-2PCI (Cat. No. 6ES7 612-*QH**-*), CPU 416-2DP ISA, CPU 416-2PCI (Cat. No. 6ES7 616-*QL**-*), Picky backpack (Cat. No. 6ES7-*RA**-*)

Text display devices, Model(s) TD3, TD390

Transceivers, Model(s) 6GK1901-0AA00-0AA, 6GK1901-0AA00-0AC

Wireless LAN access points, "Modular Outlet Type", Model(s) 6GK1 901-1BE00-0AA0

Wireless LAN access points, Model(s) EAP-Wx-yy-zx, RAP-Wx-RJ-Ex (1), SCALANCE W744-1PRO, Scalance W746-1PRO US, Type 6GK5746-1ST00-2AB6, Scalance W746-1PRO, Type 6GK5746-1ST00-2AA6, Scalance W747-1RR US, type 6GK5747-1SR00-2AB6, Scalance W747-1RR, type 6GK5747-1SR00-2AA6, SCALANCE W788-1PRO, Scalance W788-1RR US, type 6GK5788-1SR00-2AB6, Scalance W788-1RR, type 6GK5788-1SR00-2AA6, SCALANCE W788-2PRO, Scalance W788-2RR US, type 6GK5788-2SR00-2AB6, Scalance W788-2RR, type 6GK5788-2SR00-2AA6

Model(s) Model Profibus ILM or IZD PROFI 01

(1) - X can be any digits from 0 until 9 or characters from a until c. Not safety relevant.

a - can be any letter or number referring to non-electrical properties as product associates, language, delivery packing, documentation etc.

X - Represents the numbers 3 or 4

[Last Updated](#) on 2010-06-18

[Questions?](#)

[Print this page](#)

[Notice of Disclaimer](#)

[Page Top](#)

[Copyright © 2010 Underwriters Laboratories Inc.®](#)

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any

manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2010 Underwriters Laboratories Inc.®"